

Order no.:	
-----	

<input type="checkbox"/> Provide estimate only	<input type="checkbox"/> Order
<input type="checkbox"/> Attachment for custom fabrication enclosed	
Billing address/customer number	
Delivery address	
Sales person	Name
	.....
	Date                      Signature

## B500 classic Family

Front or rear-wheel drive power wheelchairs

## B500 classic

Power wheelchair  E 503

Maximum load capacity: 140 kg/309 lbs  
**Article number: 490E32=00000**



Figure shows add. charge options

## B500-S classic

Power wheelchair  E 513

Maximum load capacity: 140 kg/309 lbs  
**Article number: 490E32=00000**



Figure shows add. charge options

### Standard Equipment B500 classic

- 6 km/h
- enAble40 impulse control
- 63 Ah (C5) gel batteries
- Battery charger
- Standard seat
- Seat cushion
- Armrests
- Footrests
- Control device with display
- Control unit with 2 actuator outputs and integrated light module
- Lap belt with buckle

### Standard Equipment B500-S classic


- 6 km/h
- enAble40 impulse control
- 63 Ah (C5) gel batteries
- Battery charger
- Standard seat
- Seat cushion
- Armrests
- Footrests
- Control device with display
- Control unit with 2 actuator outputs and integrated light module
- Splash guard
- Lap belt with buckle

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders. Please use the spare parts catalogue for spare parts orders.

**Basic data** (voluntary information)\*

Gender \_\_\_\_\_ Indication \_\_\_\_\_

Age \_\_\_\_\_ Paying party \_\_\_\_\_



\* This information will help to support user-oriented settings and product development. Ottobock guarantees the confidential and purely internal use of these data.

**Mandatory information\***

Body height in cm \_\_\_\_\_

Body weight in kg \_\_\_\_\_

1 Seat depth \_\_\_\_\_

2 Trunk depth \_\_\_\_\_

3 Armrest height \_\_\_\_\_

4 Armpit height \_\_\_\_\_

5 Shoulder height \_\_\_\_\_

6 Head height \_\_\_\_\_

7 Forearm length to the middle of the palm \_\_\_\_\_

8 Trunk width \_\_\_\_\_

9 Lower leg length \_\_\_\_\_

10 Seat width \_\_\_\_\_

Standard seat	
EC 18	<input type="checkbox"/> <b>Standard seat, Junior</b> (SD 34 ... 40 cm, SW 34 ... 40 cm) <b>Add. charge</b>
EC 01	<input type="checkbox"/> <b>Standard seat, small</b> (SD 38 ... 46 cm, SW 38 ... 42 cm) <b>-</b>
EC 02	<input type="checkbox"/> <b>Standard seat, large</b> (SD 42 ... 50 cm, SW 43 ... 48 cm) <b>-</b>
EC 19	<input type="checkbox"/> <b>Standard seat, XL</b> (SD 42 ... 50 cm, SW 50 ... 56 cm) <b>Add. charge</b>
Note: Standard seat, XL is not in combination with SH 45 cm possible. Standard seat, XL is not in combination with footrests possible: Optioncode: EB 01, EB 02, EB 20, EB 51.	
Settings for the Standard seat	
<b>Back angle</b> <input type="checkbox"/> -9/1/11/21° <input type="checkbox"/> 0/10/20/30°	
Note: Not available with mechanical and electric back adjustment. Back angle -9/1/11/21° is not possible in combination with SD 34 and 36 cm.	
<b>Seat inclination SI</b> <input type="checkbox"/> 0° <input type="checkbox"/> 3° <input type="checkbox"/> 6°	
EC 65	<input type="checkbox"/> <b>Seat inclination 20°</b> (only for standard seat, SH 45 and 50 cm) <b>Add. charge</b> (not available with S-version)
Seat inclination of 6° and 20° not available with mechanical or electric seat tilt.	
<b>Seat depth SD in cm</b> <input type="checkbox"/> 34 <input type="checkbox"/> 36 <input type="checkbox"/> 38 <input type="checkbox"/> 40 <input type="checkbox"/> 42 <input type="checkbox"/> 44 <input type="checkbox"/> 46 <input type="checkbox"/> 48 <input type="checkbox"/> 50	
<b>Seat width SW</b> ..... cm	
<b>Lower leg length LL</b> ..... cm (25 ... 54 cm) <b>without seat cushion</b>	
<b>Seat height SH in cm</b> <input type="checkbox"/> 45 <input type="checkbox"/> 50 <input type="checkbox"/> 55 (Note: In case of 3° seat inclination, without seat cushion, dependent on lower leg length; seat height less lower leg length equals ground clearance, a minimum of 6 cm is recommended.)	
Contour seat	
EC 03	<input type="checkbox"/> <b>Contour seat, small</b> (SD 36 ... 44 cm, SW 38 ... 42 cm) <b>Add. charge</b>
EC 04	<input type="checkbox"/> <b>Contour seat, large</b> (SD 40 ... 48 cm, SW 43 ... 48 cm) <b>Add. charge</b>
EC 21	<input type="checkbox"/> <b>Contour seat, XL</b> (SD 40 ... 48 cm, SW 50 ... 56 cm) <b>Add. charge</b> (not in combination with seat height 52 cm possible)
Settings for the Contour seat	
<b>Seat depth SD in cm</b> <input type="checkbox"/> 36 <input type="checkbox"/> 38 <input type="checkbox"/> 40 <input type="checkbox"/> 42 <input type="checkbox"/> 44 <input type="checkbox"/> 46 <input type="checkbox"/> 48	
<b>Seat width SW</b> ..... cm	
<b>Lower leg length LL</b> ..... cm (28 ... 54 cm)	
<b>Seat height SH in cm</b> <input type="checkbox"/> approx. 52 <input type="checkbox"/> approx. 57 (Note: In case of 0° seat inclination, with seat padding, dependent on lower leg length; seat height less lower leg length equals ground clearance, a minimum of 6 cm is recommended.)	

Information



EC 01/EC 02 Standard seat



EC 03/EC 04 Contour seat



EC 40 – EC 46 Recaro seating system



ED 50 Electric back angle adjustment 30°



EC 50 Electric seat tilt 20°




EC 54 Electric seat tilt 45°



EB 01 Individual footrests




EB 03 Single-panel footrest



EB 20 Mechanically elevating footrest



ES 05 Electric LED lighting



ET 04 Curb climbing assist



EG 05 Drive wheel suspension



EU 23 – EU 28 Joystick options



EA 62 Bumper



EB 80 Lateral leg pad



EP 51 Four-way chest strap

Recaro seat		
EC 40	<input type="checkbox"/>	<b>Recaro n-Joy</b> (manually adjustable backrest) <b>Add. charge</b>
EC 41	<input type="checkbox"/>	<b>Recaro n-Joy-Plus</b> (adaptable on site, manually adjustable backrest) <b>Add. charge</b> Seat depth SD 38 ... 56 cm

Modular Recaro seating system		
EC 42	<input type="checkbox"/>	<b>Backrest LX</b> (manually adjustable) <b>Add. charge</b>
EC 43	<input type="checkbox"/>	<b>Backrest LT</b> (lateral supports with different setting possibilities, manually adjustable) <b>Add. charge</b>
EC 44	<input type="checkbox"/>	<b>Seat bottom F</b> (flat padded, seat bottom sewn to lateral guides) <b>Add. charge</b>
EC 45	<input type="checkbox"/>	<b>Seat bottom X</b> (contoured lateral guides with seat extension) <b>Add. charge</b>
EC 46	<input type="checkbox"/>	<b>Seat bottom W</b> (flat padded, with seat extension) <b>Add. charge</b>

Settings for Recaro seat/modular Recaro seating system					
<b>Seat depth SD in cm</b>	<input type="checkbox"/> 38	<input type="checkbox"/> 40	<input type="checkbox"/> 42	<input type="checkbox"/> 44	<input type="checkbox"/> 46
(only for Recaro n-Joy-Plus)	<input type="checkbox"/> 48	<input type="checkbox"/> 50	<input type="checkbox"/> 52	<input type="checkbox"/> 54	<input type="checkbox"/> 56
<b>Lower leg length LL in cm</b>	..... cm (28 ... 54 cm)				
<b>Seat height SH in cm</b>	<input type="checkbox"/> approx. 52	<input type="checkbox"/> approx. 57			
<small>(Note: In case of 0° seat inclination, with seat padding, dependent on lower leg length; seat height less lower leg length equals ground clearance, a minimum of 6 cm is recommended; seat height approx. 52 cm not available with mechanical or electric seat tilt)</small>					
All Recaro seats with headrest and back bag.					

Seat cushion (only for standard seat)		
EC 06	<input type="checkbox"/>	<b>Seat cushion, black cover</b> (standard equipment) <b>-</b>
EC 10	<input type="checkbox"/>	<b>Seat cushion with incontinence cover</b> <b>Add. charge</b>
EC 07	<input type="checkbox"/>	<b>Without seat cushion</b> <b>Price reduction</b>
EC 11	<input type="checkbox"/>	<b>Terra seat cushion</b> (up to 140 kg/309 lbs) <b>Add. charge</b>
EC 12	<input type="checkbox"/>	<b>Terra Aquos seat cushion</b> (up to 140 kg/309 lbs) <b>Add. charge</b>
EC 13	<input type="checkbox"/>	<b>Aerius seat cushion</b> (up to 140 kg/309 lbs) <b>Add. charge</b>
EC 14	<input type="checkbox"/>	<b>Aerius Active seat cushion</b> (up to 150 kg/330 lbs) <b>Add. charge</b>
EC 17	<input type="checkbox"/>	<b>Terra Flair seat cushion</b> (up to 150 kg/330 lbs) <b>Add. charge</b>
Please refer to our seat cushion brochure for information on additional seat cushions.		

Seat tilt		
EC 51	<input type="checkbox"/>	<b>Mechanical seat tilt 20°</b> <b>Add. charge</b> (not available with electric lift seat function; not available with B500-S)
EC 57	<input type="checkbox"/>	<b>Electric seat tilt 20°</b> <b>Add. charge</b> (not available with electric lift seat function; not available with B500-S)
EC 50	<input type="checkbox"/>	<b>Electric seat tilt 30° with centre of gravity shifting</b> (seat inclination 0°) <b>Add. charge</b>
EC 54	<input type="checkbox"/>	<b>Electric seat tilt 45° with centre of gravity shifting</b> (seat inclination 0°) <b>Add. charge</b>

Seat height adjustment		
EC 55	<input type="checkbox"/>	<b>Electric seat height adjustment</b> (up to 40 cm, seat inclination 0°) <b>Add. charge</b> max. load capacity 130 kg/287 lbs!

Back adjustment		
ED 20	<input type="checkbox"/>	<b>Mechanical back angle adjustment 30°</b> (only for standard and contour seat) <b>Add. charge</b>
ED 50	<input type="checkbox"/>	<b>Electric back angle adjustment 30°</b> <b>Add. charge</b> (not available with Recaro n-Joy and Recaro n-Joy-Plus)

Back version (only for standard seats)		
ED 01	<input type="checkbox"/>	<b>Back upholstery</b> (standard equipment) <b>-</b>
ED 02	<input type="checkbox"/>	<b>Without back upholstery</b> <b>Price reduction</b>

Please use our accessories catalogue for the selection of individual back systems!

Belts			
EP 51	<input type="checkbox"/>	<b>Static four-way chest strap kit</b> (only for Recaro seat/seating system)	<b>Add. charge</b>
EP 60	<input type="checkbox"/>	<b>Chest belt with hook-and-loop closure, installed at chest height</b> (only for Recaro seat/seating system)	<b>Add. charge</b>
EP 65	<input type="checkbox"/>	<b>Lap belt with buckle</b> (standard equipment) (Lap belt or four-way chest strap required in Germany for road traffic permit)	–

Seating system accessories			
EC 20	<input type="checkbox"/>	<b>Abductor, removable</b> (only for standard seat, not available in combination with seat tilt)	<b>Add. charge</b>
EC 30	<input type="checkbox"/>	<b>Flip-down abductor</b> (only for standard seat, not available in combination with seat tilt)	<b>Add. charge</b>
EE 30	<input type="checkbox"/>	<b>Adapter for headrest installation kit</b> (only for standard and contour seat) Please refer to our accessories catalogue for information about headrests.	<b>Add. charge</b>

Footrests			
EB 01	<input type="checkbox"/>	<b>Individual footrests, with plastic footplates</b> (standard equipment) Available with Standard seat XL and Contour seat XL with max. load capacity of 140 kg/309 lbs; LL up to 50 cm with standard seat. Not available with Standard seat Junior.	–
EB 02	<input type="checkbox"/>	<b>Individual footrests, with aluminium footplates</b> (continuously angle-adjustable) Available with Standard seat XL and Contour seat XL with max. load capacity of 140 kg/309 lbs; LL up to 50 cm with standard seat.	<b>Add. charge</b>
EB 03	<input type="checkbox"/>	<b>Single-panel footrest with aluminium footplate</b> (continuously angle-adjustable, LL up to 50 cm with standard seat) Not available with Standard seat Junior.	<b>Add. charge</b>
EB 04	<input type="checkbox"/>	<b>XXL individual footrests with aluminium footplates</b> (continuously angle-adjustable, LL up to 50 cm with standard seat) Not available with Standard seat Junior.	<b>Add. charge</b>
EB 07	<input type="checkbox"/>	<b>Without footrest</b>	<b>Price reduction</b>
EB 20	<input type="checkbox"/>	<b>Mechanically elevating footrests with length adjustment and aluminium footplates, angle adjustable</b> (LL with standard seat from 27 cm, with Recaro seat/seating system and contoured seat from 32 cm) Not available with Standard seat XL and Contour seat XL.	<b>Add. charge</b>
EB 50	<input type="checkbox"/>	<b>Electrically elevating footrests with length adjustment and aluminium footplates, jointly controllable</b> (LL from 27 cm for Standard seat, from 32 cm for Recaro seat/seating system and Contour seat)	<b>Add. charge</b>
EB 51	<input type="checkbox"/>	<b>Electrically elevating footrests with leg length adjustment and aluminium footplates, individually controllable</b> (LL with standard seat from 27 cm, with Recaro seat/seating system and contoured seat from 32 cm) Not available with Standard seat XL and Contour seat XL.	<b>Add. charge</b>

Footrest accessories			
EB 80	<input type="checkbox"/>	<b>Lateral leg pad for mechanically elevating footrest</b> (pair)	<b>Add. charge</b>
EB 70	<input type="checkbox"/>	<b>Fixation straps for aluminium footplates</b> (included with mounting accessories)	<b>Add. charge</b>

Armrest			
EE 10	<input type="checkbox"/>	<b>Armrest with clothing protector, telescoping</b> (only for standard and contour seat)	–
EE 33	<input type="checkbox"/>	<b>Extended armrest with cut-out</b> (telescoping, only included with Recaro n-joy/njoy+)	–
EE 40	<input type="checkbox"/>	<b>Extended armrest with clothing protector</b> (telescoping, with cut-out for back tube, only for Standard and Contour seat)	<b>Add. charge</b>

Armrest accessories			
EE 34	<input type="checkbox"/>	<b>Channel forearm pad adapter, fixed, mounting side left</b>	<b>Add. charge</b>
EE 24	<input type="checkbox"/>	<b>Channel forearm pad adapter, fixed, mounting side right</b>	<b>Add. charge</b>
EE 35	<input type="checkbox"/>	<b>Channel forearm pad adapter, swivelling, mounting side left</b>	<b>Add. charge</b>
EE 25	<input type="checkbox"/>	<b>Channel forearm pad adapter, swivelling, mounting side right</b>	<b>Add. charge</b>
EE 36	<input type="checkbox"/>	<b>Arm strap, mounting side left</b>	<b>Add. charge</b>
EE 26	<input type="checkbox"/>	<b>Arm strap, mounting side right</b>	<b>Add. charge</b>

For information on channel forearm pads and hand pads, please refer to our accessories catalogue!

Frame colour		
016	<input type="checkbox"/>	Silver metallic (standard equipment) -
023	<input type="checkbox"/>	Traffic white RAL 9016 (standard equipment) -
024	<input type="checkbox"/>	Traffic blue RAL 5017 (standard equipment) -
022	<input type="checkbox"/>	Cream RAL 9001 (standard equipment) -
038	<input type="checkbox"/>	Sparkle red Add. charge
021	<input type="checkbox"/>	Sparkle granny-smith Add. charge
010	<input type="checkbox"/>	Marine blue Add. charge
004	<input type="checkbox"/>	Ice blue Add. charge
025	<input type="checkbox"/>	Stainless steel silver Add. charge
001	<input type="checkbox"/>	Brilliant silver Add. charge
018	<input type="checkbox"/>	Signal red RAL 3001 Add. charge
002	<input type="checkbox"/>	Anthracite metallic Add. charge
003	<input type="checkbox"/>	Jet black RAL 9005 Add. charge
009	<input type="checkbox"/>	Vinho sparkle Add. charge
005	<input type="checkbox"/>	Sparkle light orange Add. charge
027	<input type="checkbox"/>	Shimano matte Add. charge
017	<input type="checkbox"/>	Traffic yellow RAL 1023 Add. charge
012	<input type="checkbox"/>	Sky blue Add. charge
014	<input type="checkbox"/>	Candy red Add. charge
015	<input type="checkbox"/>	Clear reptile glossy Add. charge
020	<input type="checkbox"/>	Saturn blue metallic Add. charge
013	<input type="checkbox"/>	Jet black RAL 9005 matte Add. charge
019	<input type="checkbox"/>	White pearl Add. charge
026	<input type="checkbox"/>	Sparkling Iron Effect Light Add. charge
028	<input type="checkbox"/>	Rainbow Add. charge

Tread pattern		
EG 01	<input type="checkbox"/>	Ribs (not available with S-version) -
EG 02	<input type="checkbox"/>	Lugs -
EG 50	<input type="checkbox"/>	Caster wheels with ribs, drive wheels with lugs (not available with S-version) -

Tyre colour		
EG 03	<input type="checkbox"/>	Grey -
EG 04	<input type="checkbox"/>	Black (only with lugs) -

Tyres		
EG 55	<input type="checkbox"/>	Pneumatic tyres (standard equipment) -
EG 60	<input type="checkbox"/>	Puncture-proof tyres on all wheels Add. charge
EF 06	<input type="checkbox"/>	Puncture-proof tyres on the caster wheels Add. charge

Caster wheel diameter		
EF 01	<input type="checkbox"/>	9" caster wheel (not available with S-version) -
EF 05	<input type="checkbox"/>	10" caster wheel -

Caster wheel options		
EF 20	<input type="checkbox"/>	No suspension (standard equipment) -
EF 02	<input type="checkbox"/>	Suspension Add. charge



Caster wheel accessories		
EF 03	<input type="checkbox"/>	<b>Mechanical caster swivel lock</b> (not available with S-version) <b>Add. charge</b>
EF 04	<input type="checkbox"/>	<b>Curb climbing assist</b> (not available in combination with single-panel footrest, not available with S-version) <b>Add. charge</b>

Chassis options		
EG 20	<input type="checkbox"/>	<b>No suspension</b> (standard equipment) <b>-</b>
EG 05	<input type="checkbox"/>	<b>Suspension</b> (drive wheel suspension, incl. drawer for battery case) <b>Add. charge</b>

Chassis options		
ES 05	<input type="checkbox"/>	<b>Electric lighting according to German Motor Vehicle Safety Standards (StVZO)</b> (required in Germany for road traffic permit) <b>Add. charge</b>
ES 03	<input type="checkbox"/>	<b>Rear marker plate</b> (required in Germany for road traffic permit) <b>Add. charge</b>
EA 10	<input type="checkbox"/>	<b>Splash guard, complete</b> <b>Add. charge</b>

Drive unit		
ET 01	<input type="checkbox"/>	<b>6 km/h drive unit</b> (standard equipment) <b>-</b>
ET 09	<input type="checkbox"/>	<b>7.2 km/h – 5 mph drive unit</b> (not available for sale in Germany) <b>-</b>
ET 10	<input type="checkbox"/>	<b>10 km/h drive unit</b> (4-pole-motors, road traffic permit included, lap belt or four-way chest strap, lighting and rear marker plate required, only available in combination with drive wheel suspension, not available with S-version) <b>Add. charge</b>

Batteries		
EU 03	<input type="checkbox"/>	<b>Without</b> <b>Price reduction</b>
EU 01	<input type="checkbox"/>	<b>Two 63 Ah (C5) gel batteries</b> (standard equipment) <b>-</b>
EU 12	<input type="checkbox"/>	<b>Two 63 Ah (C5) AGM batteries</b> <b>Price reduction</b>

Control unit/control panel		
EU 85	<input type="checkbox"/>	<b>Standard</b> (standard equipment) <b>-</b>
EU 06	<input type="checkbox"/>	<b>Mid-tray control, swing-away to the left</b> (Option EU 06 is not possible in combination with Standard seat XL and Contourseat XL) <b>Add. charge</b>
EU 06	<input type="checkbox"/>	<b>Mid-tray control, swing-away to the right</b> (Option EU 06 is not possible in combination with Standard seat XL and Contourseat XL) <b>Add. charge</b>

Control panel holder		
EU 19	<input type="checkbox"/>	<b>Standard control panel holder</b> (standard equipment) <b>-</b>
EU 20	<input type="checkbox"/>	<b>Control panel holder, swing-away in parallel</b> <b>Add. charge</b>
EU 18	<input type="checkbox"/>	<b>Control panel holder, swing-away in parallel, height-adjustable</b> <b>Add. charge</b>
EU 29	<input type="checkbox"/>	<b>Control panel holder, downwards adjustable</b> <b>Add. charge</b>

Control panel holder mounting side (not for mid-tray control)		
<input type="checkbox"/> Left <input type="checkbox"/> Right		

Activation of the drive-away lock		
<input type="checkbox"/> Yes <input type="checkbox"/> No		

Control unit accessories		
EU 15	<input type="checkbox"/>	<b>Attendant control</b> (only available with standard and contour seats or Recaro modules) <b>Add. charge</b>
EU 22	<input type="checkbox"/>	<b>Protective bow for control panel</b> <b>Add. charge</b>
EU 23	<input type="checkbox"/>	<b>Fork for tetraplegics, horizontal</b> (adjustable for hand width 70 ... 90 mm) <b>Add. charge</b>
EU 24	<input type="checkbox"/>	<b>Stick S80</b> (special joystick handle 80 mm) <b>Add. charge</b>
EU 25	<input type="checkbox"/>	<b>Soft ball</b> (black cover) <b>Add. charge</b>
EU 26	<input type="checkbox"/>	<b>Ball top, small</b> (diameter 43 mm) <b>Add. charge</b>
EU 27	<input type="checkbox"/>	<b>Ball top, large</b> (diameter 48 mm) <b>Add. charge</b>
EU 28	<input type="checkbox"/>	<b>Joystick top, flexible, including ball top, large</b> (Extension by 60 mm; control panel holder, downwards adjustable or swing-away, is recommended) <b>Add. charge</b>
EU 35	<input type="checkbox"/>	<b>Soft ball, coloured</b> (diameter 30 mm, 4 pieces) <b>Add. charge</b>

General accessories		
ES 20	<input type="checkbox"/>	<b>Pannier bag, detachable</b> <span style="float: right;"><b>Add. charge</b></span>
ES 22	<input type="checkbox"/>	<b>Accessory pouch</b> (e.g. for battery charger, tool kit) <span style="float: right;"><b>Add. charge</b></span>
ES 24	<input type="checkbox"/>	<b>Pocket for mobile phone</b> <span style="float: right;"><b>Add. charge</b></span>
ES 32	<input type="checkbox"/>	<b>Cover cap for standard seating units</b> <span style="float: right;"><b>Add. charge</b></span>
ES 35	<input type="checkbox"/>	<b>Tray, swing-away to the side</b> <span style="float: right;"><b>Add. charge</b></span> (includes installation accessories; cut-out for control panel must be adapted)
EZ 80	<input type="checkbox"/>	<b>Airman pump</b> <span style="float: right;"><b>Add. charge</b></span>
EA 62	<input type="checkbox"/>	<b>Rear bumper</b> (not available with S-version) <span style="float: right;"><b>Add. charge</b></span>
ES 37	<input type="checkbox"/>	<b>External odometer</b> (only in combination with protective bow for control panel) <span style="float: right;"><b>Add. charge</b></span>
EA 60	<input type="checkbox"/>	<b>Crutch holder</b> <span style="float: right;"><b>Add. charge</b></span>
ES 38	<input type="checkbox"/>	<b>Folding rearview mirror, mounting side left</b> <span style="float: right;"><b>Add. charge</b></span>
ES 28	<input type="checkbox"/>	<b>Folding rearview mirror, mounting side right</b> <span style="float: right;"><b>Add. charge</b></span>
(Mounting to the control panel side not possible with holder, swing-away in parallel; not available in combination with holder, swing-away in parallel, and tray)		
EB 52	<input type="checkbox"/>	<b>Tool kit</b> <span style="float: right;"><b>Add. charge</b></span>
ES 60	<input type="checkbox"/>	<b>Vehicle transportation kit</b> (required for AMF anchor point system, only possible for user weight of 100 kg max./220 lbs, only for standard and contour seat) <span style="float: right;"><b>Add. charge</b></span>

Special options		
24817.001	<input type="checkbox"/>	<b>Special colour two-layer coating</b> <span style="float: right;"><b>Add. charge</b></span>
24817.000	<input type="checkbox"/>	<b>Special colour single-layer coating</b> <span style="float: right;"><b>Add. charge</b></span>
21187.002	<input type="checkbox"/>	<b>Special dimensions for platform for seating shell</b> <span style="float: right;"><b>Add. charge</b></span>
20465.016	<input type="checkbox"/>	<b>Standard back tube extension/shortening</b> <span style="float: right;"><b>Add. charge</b></span>
40405.002	<input type="checkbox"/>	<b>Back upholstery for power wheelchairs with special length</b> <span style="float: right;"><b>Add. charge</b></span>
20465.011	<input type="checkbox"/>	<b>Contour back with standard seat bottom or contour seat bottom with standard back</b> <span style="float: right;"><b>Add. charge</b></span>
36362.001	<input type="checkbox"/>	<b>Avantgarde2 footplates, locked</b> <span style="float: right;"><b>Add. charge</b></span>
36362.000	<input type="checkbox"/>	<b>Avantgarde2 footplates, unlocked</b> <span style="float: right;"><b>Add. charge</b></span>
25142.001	<input type="checkbox"/>	<b>Amputation legrest for power wheelchairs</b> <span style="float: right;"><b>Add. charge</b></span>
22298.006	<input type="checkbox"/>	<b>Removable enAble control panel for attendant</b> <span style="float: right;"><b>Add. charge</b></span>
22517.005	<input type="checkbox"/>	<b>"ALU" e-Hockey sport bumper</b> <span style="float: right;"><b>Add. charge</b></span> (available only in combination with special option 22517.003 and 59060.000)
22517.003	<input type="checkbox"/>	<b>e-Hockey ball protection side</b> <span style="float: right;"><b>Add. charge</b></span> (available only in combination with special option 22517.005 and 59060.000)
59060.000	<input type="checkbox"/>	<b>e-Hockey hockey stick</b> <span style="float: right;"><b>Add. charge</b></span> (available only in combination with special option 22517.005 and 22517.003)